THEORETICAL AND APPLIED GENETICS

International Journal of Plant Breeding Research

Volume 92 · 1996

MANAGING EDITOR

G. Wenzel, Grünbach

EDITORIAL BOARD

L. Alföldi, Szeged
H. C. Becker, Göttingen
J. S. Beckmann, Paris
H. K. Dooner, Oakland
B. S. Gill, Manhatten, KS
Yu. Gleba, Princeton, NJ
K. Glimelius, Uppsala
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
M. Koornneef, HA Wageningen
H. F. Linskens, Heidelberg
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
F. Salamini, Köln-Vogelsang
C. Smith, Guelph
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki

Springer

THEORETICAL
AND
APPLIED GENETICS

International Journal
of Plant Breeding Research

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- **Genetic and physiological fundamentals of plant breeding**
- **Applications of plant biotechnology**
- **Theoretical considerations in combination with experimental data**

Springer

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warrantly, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to svjps@springer.de

Typesetting

Graphischer Betrieb K. Triltsch, Würzburg, Germany
Thomson Press (India) Ltd., New Delhi

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1996
Springer-Verlag GmbH & Co. KG,
Berlin, Germany
Printed in Germany

Table of contents Volume 92, 1996

No. 1, pp. 1– 144 published in January 1996
No. 2, pp. 145– 284 published in February 1996
No. 3–4 pp. 285– 498 published in March 1996
No. 5, pp. 499– 626 published in April 1996
No. 6, pp. 627– 790 published in May 1996
No. 7, pp. 791– 914 published in May 1996
No. 8, pp. 915–1112 published in June 1996

Ahmad M, McNeil DL, Fautrier AG, Armstrong KF, Paterson AM: Genetic relationships in *Lens* species and parentage determination of their interspecific hybrids using RAPD markers 1091
Ahne R → Lubaretz O
Akanda SI, Mundt CC: Path coefficient analysis of the effects of stripe rust and cultivar mixtures on yield and yield components of winter wheat 666
Alibert G → Sarrafi A
Amézquita MC → Martínez CP
Armstrong KF → Ahmad M
Arumugam N, Mukhopadhyay A, Gupta V, Pental D, Pradhan AK: Synthesis of hexaploid (AABBCC) somatic hybrids: a bridging material for transfer of „tour" cytoplasmic male sterility to different *Brassica* species 762
Arumugam N → Nagpal R
Ashley DA → Lee SH
Asíns MJ → Herrero R
Austin DF, Lee M: Comparative mapping in $F_{2:3}$ and $F_{6:7}$ generations of quantitative trait loci for grain yield and yield components in maize 817

Baergen K → Grosser JW
Bailey MA → Lee SH
Baker SM, White EE: A chalcone synthase/stilbene synthase DNA probe for conifers 827
Baranyi M, Greilhuber J: Flow cytometric and Feulgen densitometric analysis of genome size variation in *Pisum* 297
Beck-Bunn T → Tanksley SD
Beek S van der → Mackinnon MJ
Bell JC → Devey ME
Berding N → Besse P
Bernard M → Felix I
Bernard S → Felix I
Bertin P → Durel CE
Bervillé A → Jeandroz S
Besse P, McIntyre CL, Berding N: Ribosomal DNA variations in *Erianthus*, a wild sugarcane relative (*Andropogoneae-Saccharinae*) 733
Bezděk M → Kovařik A
Van der Biezen EA, Nijkamp HJJ, Hille J: Mutations at the *Asc* locus of tomato confer resistance to the fungal pathogen *Alternaria alternata* f. sp. *lycopersici* 898
Bittel DC, Shaver JM, Somers DA, Gengenbach BG: Lysine accumulation in maize cell cultures transformed with a lysine-insensitive form of maize dihydrodipicolinate synthase 70
Biyashev RM → Saghai Maroof MA
Blaas J → Ramulu KS
De Bock TSM → Mesbah M
Boerma HR → Lee SH
Bohorova N → Fennell S
Bohuon EJR → Kearsey MJ
Bonnet A → Esmenjaud D
Börner A → Korzun V
Bourion V → Gouesnard B
Boyat A → Gouesnard B
Branlard G → Felix I
Brederode J van → Vellekoop P
Brown CR, Yang C-P, Mojtahedi H, Santo GS, Masuelli R: RFLP analysis of resistance to Columbia root-knot nematode derived from *Solanum bulbocastanum* in a BC_2 population 572
Buntjer JB → Vellekoop P
Buss GR → Yu YG
Büter B → Saisingtong S

Cabasson C → Grosser JW
Caetano-Anollés G → Cerny TA
Calleberg EK: Correlations between low-temperature tolerance of anther donor clones of potato and the production of anther-derived embryos and calli at low temperatures 1038
Camargo LEA, Osborn TC: Mapping loci controlling flowering time in *Brassica oleracea* 610
Caranta C, Palloix A: Both common and specific genetic factors are involved in polygenic resistance of pepper to several potyviruses 15
Carbonell EA → Herrero R
Cardona C → Garza R
Cavallini A, Natali L, Giordani T, Durante M, Cionini PG: Nuclear DNA changes within *Helianthus annuus* L.: variations in the amount and methylation of repetitive DNA within homozygous progenies 285
Cerny TA, Caetano-Anollés G, Trigiano RN, Starman TW: Molecular phylogeny and DNA amplification fingerprinting of *Petunia* taxa 1009
Chagué V, Mercier JC, Guénard M, Courcel A de, Vedel F: Identification and mapping on chromosome 9 of RAPD markers linked to *Sw-5* in tomato by bulked segregant analysis 1045
Champoux MC → Ray JD
Chandler JL → Grosser JW
Changtragoon S → Szmidt AE
Chao S → Jia J
Charters YM, Robertson A, Wilkinson MJ, Ramsay G: PCR analysis of oilseed rape cultivars (*Brassica napus* L. ssp. *oleifera*) using 5′-anchored simple sequence repeat (SSR) primers 442
Chen D → Meng A
Cheng R, Takano Y, Saito A, Ukai Y: Estimation of unbiased recombination values in the presence of misclassification of a trait using RFLP maps 524
Cionini PG → Cavallini A
Clancy JA → Han F
Cobos S → Millan T
Colijn-Hooymans CM → Ramulu KS
Collins NC, Paltridge NG, Ford CM, Symons RH: The *Yd2* gene for barley yellow dwarf virus resistance maps close to the centromere on the long arm of barley chromosome 3 858
Conner AJ, Dale PJ: Reconsideration of pollen dispersal data from field trials of transgenic potatoes 505
Contreras-M A → Spooner DM
Coppoolse E → Wordragen MF van
Correa Victoria F → Martínez CP
Courcel A de → Chagué V
Crawford AM → Dodds KG
Crossa J → Fennell S
Crowe KR → Hoey BK
Cubero JI → Millan T
Cuguen J → Mörchen M
Cullis BR, Thomson FM, Fisher JA, Gilmour AR, Thompson R: The analysis of the NSW wheat variety database. I. Modelling trial error variance 21
Cullis BR, Thomson FM, Fisher JA, Gilmour AR, Thompson R: The analysis of the NSW wheat variety database. II. Variance component estimation 28

Dæhlen OG → Johnsen Ø
Dale PJ → Conner AJ
Dancik BP → Khasa PD
Daugrois JH, Grivet L, Roques D, Hoarau JY, Lombard H, Glaszmann JC, D'Hont A: A putative major gene for rust resistance linked with a RFLP marker in sugarcane cultivar 'R570' 1059

Dawei LD → Li DW
Deng Z → Gmitter FG Jr
Deu M → Dufour P
Deutsch JA → Ribaut J-M
Devey ME, Bell JC, Smith DN, Neale DB, Moran GF: A genetic linkage map for *Pinus radiata* based on RFLP, RAPD, and microsatellite markers 673
Devos KM → Jia J
D'Hont A → Daugrois JH
D'Hont A → Dufour P
Dijkhuis P → Ramulu KS
Dodds KG, Tate ML, McEwan JC, Crawford AM: Exclusion probabilities for pedigree testing farm animals 966
Doerge RW → Mutschler MA
Doležel J → Gualberti G
Douches DS → Spooner DM
Dubcovsky J, Santa María G, Epstein E, Luo M-C, Dvořák J: Mapping of the K^+/Na^+ discrimination locus *Kna1* wheat 448
Dudley JT → Schaeffer GW
Dufour P, Grivet L, D'Hont A, Deu M, Trouche G, Glaszmann JC, Hamon P: Comparative genetic mapping between duplicated segments on maize chromosomes 3 and 8 and homoeologous regions in sorghum and sugarcane 1024
Durante M → Cavallini A
Durel CE, Bertin P, Kremer A: Relationship between inbreeding depression and inbreeding coefficient in maritime pine (*Pinus pinaster*) 347
Dvořák J → Dubcovsky J

El-Kharbotly A, Palomino-Sánchez C, Salamini F, Jacobsen E, Gebhardt C: *R6* and *R7* alleles of potato conferring race-specific resistance to *Phytophthora infestans* (Mont.) de Bary identified genetic loci clustering with the *R3* locus on chromosome XI 880
El Mousadik A, Petit RJ: High level of genetic differentiation for allelic richness among populations of the argan tree [*Argania spinosa* (L.) Skeels] endemic to Morocco 832
Epstein E → Dubcovsky J
Eshed Y → Tanksley SD
Esmenjaud D, Minot JC, Voisin R, Bonnet A, Salesses G: Inheritance of resistance to the root-knot nematode *Meloidogyne arenaria* in Myrobalan plum 873

Faghihi J → Vierling RA
Fajkus J → Kovařik A
Fallot J → Sarrafi A
Fautrier AG → Ahmad M
Felix I, Martinant JP, Bernard M, Bernard S, Branlard G: Genetic characterization of storage proteins in a set of F_1-derived haploid lines in bread wheat 340
Fennell S, Bohorova N, Ginkel M van, Crossa J, Hoisington D: Plant regeneration from immature embryos of 48 elite CIMMYT bread wheats 163
Ferris JM → Vierling RA
Ferris VR → Vierling RA
Filippi MC → Veillet S
Fincher GB → Li C-D
Fisher JA → Cullis BR
Fisher ML, Kyle MM: Inheritance of resistance to potyviruses in *Phaseolus vulgaris* L. IV. Inheritance, linkage relations, and environmental effects on systemic resistance to four potyviruses 204
Fladung M → Kaendler C
Flipse E, Keetels CJAM, Jacobsen E, Visser RGF: The dosage effect of the wild-type GBSS allele is linear for GBSS activity but not for amylose content: absence of amylose has a distinct influence on the physico-chemical properties of starch 121
Fluminhan A, Kameya T: Behaviour of chromosomes in anaphase cells in embryogenic callus cultures of maize (*Zea mays* L.) 982
Ford CM → Collins NC
Fuchs J → Keller ERJ
Fuchs J → Lubaretz O
Fujishige I, Tanaka R, Taniguchi K: Efficient isolation of non-chimeric tetraploids artificially induced in a stable culture of *Haplopappus gracilis* 157
Fulton TM → Tanksley SD

Gale MD → Jia J
Gallais A → Veillet S
Galwey NW → Spehar CR
Gambier RM, Mulcahy DL: The association between pollen size and Renner complex in *Oenothera villaricae* and *O. picensis* ssp. *picensis* and their hybrids: evidence for preanthesis pollen competition 140
Ganal MW, Tanksley SD: Recombination around the *Tm2a* and *Mi* resistance genes in different crosses of *Lycopersicon peruvianum* 101
Gao Z → Meng A
Garnsey SM → Gmitter FG Jr
Garza R, Cardona C, Singh SP: Inheritance of resistance to the bean-pod weevil (*Apion godmani* Wagner) in common beans from Mexico 357
Gebhardt C → El-Kharbotly A
Gecheff KI: Production and identification of new structural chromosome mutations in barley (*Hordeum vulgare* L.) 777
Gengenbach BG → Bittel DC
Gibson JP → Jeyaruban MG
Gill BS → Jellen EN
Gilmour AR → Cullis BR
Ginkel M van → Fennell S
Giordani T → Cavallini A
Glaszmann JC → Daugrois JH
Glaszmann JC → Dufour P
Gmitter FG Jr, Xiao SY, Huang S, Hu XL, Garnsey SM, Deng Z: A localized linkage map of the citrus tristeza virus resistance gene region 688
Gmitter FG Jr → Grosser JW
Gmitter FG Jr → Liou P-C
Goffinet B → Rebai A
Gong G → Meng A
Gonzalez-de-Leon D → Ribaut J-M
Gouesnard B, Sanou J, Panouillé A, Bourion V, Boyat A: Evaluation of agronomic traits and analysis of exotic germ plasm polymorphism in adapted×exotic maize crosses 368
Grandillo S, Tanksley SD: Genetic analysis of RFLPs, GATA microsatellites and RAPDs in a cross between *L. esculentum* and *L. pimpinellifolium* 957
Grandillo S, Tanksley SD: QTL analysis of horticultural traits differentiating the cultivated tomato from the closely related species *Lycopersicon pimpinellifolium* 935
Grandillo S → Tanksley SD
Greilhuber J → Baranyi M
Grivet L → Daugrois JH
Grivet L → Dufour P
Grosser JW, Mourao-Fo FAA, Gmitter FG Jr, Louzada ES, Jiang J, Baergen K, Quiros A, Cabasson C, Schell JL, Chandler JL: Allotetraploid hybrids between *citrus* and seven related genera produced by somatic hybridization 577
Gualberti G, Doležel J, Macas J, Lucretti S: Preparation of pea (*Pisum sativum* L.) chromosome and nucleus suspensions from single root tips 744
Guénard M → Chagué V
Gupta V → Arumugam N

Hagqvist R → Wang TL
Hallauer AR → Kaufman B
Halloran GM → Pang ECK
Hamon P → Dufour P
Han F, Ullrich SE, Clancy JA, Jitkov V, Kilian A, Romagosa I: Verification of barley seed dormancy loci via linked molecular markers 87
Hänni C → Mörchen M
Hart GE → Yang Y-C
Hartings H, Lazzaroni N, Rossi V, Motto M: Distribution of sequences related to the *Bg* transposable element of maize in *Zea* and related genera 696
Harushima Y, Kurata N, Yano M, Nagamura Y, Sasaki T, Minobe Y, Nakagahra M: Detection of segregation distortions in an *indica-japonica* rice cross using a high-resolution molecular map 145
Hayes PM → Steffenson BJ
Hedges BR → Martin SKSt
Heller R, Schondelmaier J, Steinrücken G, Jung C: Genetic localization of four genes for nematode (*Heterodera schachtii* Schm.) resistance in sugar beet (*Beta vulgaris* L.) 991
Hemleben V → Menke U
Herrero R, Asíns MJ, Carbonell EA, Navarro L: Genetic diversity in the orange subfamily Aurantioideae. I. Intraspecies and intragenus genetic variability 599
Hille J → Van der Biezen EA
Hinata K → Nishio T
Hisatomi Y → Inakagi Y
Hoarau JY → Daugrois JH

Hodge GR, Volker PW, Potts BM, Owen JV: A comparison of genetic information from open-pollinated and control-pollinated progeny tests in two eucalypt species 53
Hoey BK, Crowe KR, Jones VM, Polans NO: A phylogenetic analysis of *Pisum* based on morphological characters, and allozyme and RAPD markers 92
Hoisington D → Fennell S
Hoisington DA → Ribaut J-M
Hong YP → Lee SJ
Hoshino Y → Nakano M
Hu H → Wang YB
Hu XL → Gmitter FG Jr
Huang N → Li X-B
Huang N → Lin H-X
Huang S → Gmitter FG Jr
Hurka H → Zunk K
Hussey RS → Lee SH

Iida S → Inakagi Y
Ikehashi H → Wan J
Inakagi Y, Hisatomi Y, Iida S: Somatic mutations caused by excision of the transposable element, *Tpn1*, from the *DFR* gene for pigmentation in sub-epidermal layer of periclinally chimeric flowers of Japanese morning glory and their germinal transmission to their progeny 499

Jacobsen E → El-Kharbotly A
Jacobsen E → Flipse E
Jeandroz S, Pugin A, Bervillé A: Cloning and analysis of a 6.8-kb rDNA intergenic spacer region of the European ash (*Fraxinus excelsior* L.) 1003
Jellen EN, Gill BS: C-banding variation in the Moroccan oat species *Avena agadiriana* (2n = 4x = 28) 726
Jenkins JN → Shappley ZW
Jennings DE → Kearsey MJ
Jensen J → Mikkelsen TR
Jeyaruban MG, Gibson JP: Estimation of additive genetic variance in commercial layer poultry and simulated populations under selection 483
Jia J, Devos KM, Chao S, Miller TE, Reader SM, Gale MD: RFLP-based maps of the homoeologous group-6 chromosomes of wheat and their application in the tagging of *Pm12*, a powdery mildew resistance gene transferred from *Aegilops speltoides* to wheat 559
Jiang C → Ribaut J-M
Jiang J → Grosser JW
Jitkov V → Han F
Jiwen Q → Li DW
Johnsen Ø, Skrøppa T, Junttila O, Dæhlen OG: Influence of the female flowering environment on autumn frost-hardiness of *Picea abies* progenies 797
Jones VM → Hoey BK
Joos H-J, Mauch-Mani B, Slusarenko AJ: Molecular mapping of the *Arabidopsis* locus *RPP11* which conditions isolate-specific hypersensitive resistance against downy mildew in ecotype RLD 281
Jørgensen RB → Mikkelsen TR
Jung C → Heller R
Junttila O → Johnsen Ø
Kaendler C, Fladung M, Uhrig H: Production and identification of somatic hybrids between *Solanum tuberosum* and *S. papita* by using the *rolC* gene as a morphological selectable marker 455
Kahler AL → Shappley ZW
Kameya T → Fluminhan A
Kameya T → Lee Y-O
Kanno A → Lee Y-O
Kato H → Wan J
Kaufman B, Rocheford TR, Lambert RJ, Hallauer AR: Change in ribosomal DNA spacer-length composition in maize recurrent selection populations. 2. Analysis of BS10, BS11, RBS10, and RSSSC 680
Kavanagh TA → Kiang A-S
Kawahara T → Taketa S
Kearsey MJ, Ramsay LD, Jennings DE, Lydiate DJ, Bohuon EJR, Marshall DF: Higher recombination frequencies in female compared to male meioses in *Brassica oleracea* 363
Keetels CJAM → Flipse E
Keller ERJ, Schubert I, Fuchs J, Meister A: Interspecific crosses of onion with distant *Allium* species and characterization of the presumed hybrids by means of flow cytometry, karyotype analysis and genomic in situ hybridization 417
Kenny ST → Pillay M
Khasa PD, Dancik BP: Rapid identification of white-Engelmann spruce species by RAPD markers 46
Kiang A-S, Kavanagh TA: Cytoplasmic male sterility (CMS) in *Lolium perenne* L. 2. The mitochondrial genome of a CMS line is rearranged and contains a chimaeric *atp9* gene 308
Kilian A → Han F
Kinghorn BP → Mackinnon MJ
Klein-Lankhorst RM → Mesbah M
Kleinhofs A → Steffenson BJ
Koch M → Zunk K
Kok-Westeneng AA → Kreike CM
Kondo T → Suyama Y
Koornneef M → Wordragen MF van
Korban SS → Yang H
Korzun V, Melz G, Börner A: RFLP mapping of the dwarfing (*Ddw1*) and hairy peduncle (*Hp*) genes on chromosome 5 of rye (*Secale cereale* L.) 1073
Koukalová B → Kovařik A
Kovařik A, Fajkus J, Koukalová B, Bezděk M: Species-specific evolution of telomeric and rDNA repeats in the tobacco composite genome 1108
Kreike CM, Kok-Westeneng AA, Vinke JH, Stiekema WJ: Mapping of QTLs involved in nematode resistance, tuber yield and root development in *Solanum* sp. 463
Kremer A → Durel CE
Krens FA → Ramulu KS
Kuai JP → Mutschler MA
Kumar A → Nair S
Kurata N → Harushima Y
Kusaba M → Nishio T
Kyle MM → Fisher ML
Lafiandra D → Tahir M
Lakshmikumaran M → Rao GU
Lambert RJ → Kaufman B
Lance RCM → Li C-D
Lange W → Mesbah M
Langridge P → Li C-D
Lazzaroni N → Hartings H
Lee M → Austin DF
Lee SH, Bailey MA, Mian MAR, Shipe ER, Ashley DA, Parrott WA, Hussey RS, Boerma HR: Identification of quantitative trait loci for plant height, lodging, and maturity in a soybean population segregating for growth habit 516
Lee SJ, Shin JS, Park KW, Hong YP: Detection of genetic diversity using RAPD-PCR and sugar analysis in watermelon [*Citrullus lanantus* (Thunb.) Mansf.] germplasm 719
Lee Y-O, Kanno A, Kameya T: The physical map of the chloroplast DNA from *Asparagus officinalis* L. 10
Lema G → Martínez CP
Lewers KS → Martin SKSt
Li C-D, Langridge P, Lance RCM, Xu P, Fincher GB: Seven members of the (1 → 3)-β-glucanase gene family in barley (*Hordeum vulgare*) are clustered on the long arm of chromosome 3 (3 HL) 791
Li DW, Qio JW, Ouyang P, Yao QX, Dawei LD, Jiwen Q, Ping O, Qingxiao Y: High frequencies of fertilization and embryo formation in hexaploid wheat × *Tripsacum dactyloides* crosses 1103
Li HB → Zhong SB
Li J → Xiao J
Li W-M → Wu W-R
Li X-B, Liang C-Z, Wu H-G, Zhai W-X, Huang N, Zhu L-H: Isolation and identification of a non-specific tandemly repeated DNA sequence in *Oryza* species 702
Liang C-Z → Li X-B
Liedl BE → Mutschler MA
Lin H-X, Qian H-R, Zhuang J-Y, Lu J, Min S-K, Xiong Z-M, Huang N, Zheng K-L: RFLP mapping of QTLs for yield and related characters in rice (*Oryza sativa* L.) 920
Liou P-C, Gmitter FG Jr, Moore GA: Characterization of the *Citrus* genome through analysis of restriction fragment length polymorphisms 425
Liu S-C → Mutschler MA
Lombard H → Daugrois JH
Lopez J → Tanksley SD
Louzada ES → Grosser JW
Lu J → Lin H-X
Lubaretz O, Fuchs J, Ahne R, Meister A, Schubert I: Karyotyping of three Pinaceae species via fluorescent *in situ* hybridization and computer-aided chromosome analysis 411
Lucretti S → Gualberti G
Luo M-C → Dubcovsky J
Lydiate DJ → Kearsey MJ

Maas JW → Vellekoop P
Macas J → Gualberti G
Mackill DJ → Redoña ED
Mackinnon MJ, Beek van der S, Kinghorn BP: Use of deterministic sampling for exploring likelihoods in linkage analysis for quantitative traits 130
Magill CW → Ulian EC
Magill JM → Ulian EC
Marshall DF → Kearsey MJ
Martin SKSt, Lewers KS, Palmer RG, Hedges BR: A testcross procedure for selecting exotic strains to improve pureline cultivars in predominantly self-fertilizing species 78
Martinant JP → Felix I
Martínez CP, Correa Victoria F, Amézquita MC, Tulande E, Lema G, Zeigler RS: Comparison of rice lines derived through anther culture and the pedigree method in relation to blast (*Pyricularia grisea* Sacc.) resistance 583
Masuelli R → Brown CR
Mauch-Mani B → Joos H-J
Maughan PJ → Saghai Maroof MA
McCouch SR → Ray JD
McCouch SR → Xiao J
McEwan JC → Dodds KG
McIntyre CL → Besse P
McNeil DL → Ahmad M
Meglic V, Staub JE: Inheritance and linkage relationships of isozyme and morphological loci in cucumber (*Cucumis sativus* L.) 865
Meister A → Keller ERJ
Meister A → Lubaretz O
Melz G → Korzun V
Meng A, Gong G, Chen D, Zhang H, Qi S, Tang H, Gao Z: DNA fingerprint variability within and among parental lines and its correlation with performance of F_1 laying hens 769
Menke U, Schilde-Rentschler L, Ruoss B, Zanke C, Hemleben V, Ninnemann H: Somatic hybrids between the cultivated potato *Solanum tuberosum* L. and the 1EBN wild species *Solanum pinnatisectum* Dun.: morphological and molecular characterization 617
Mercier JC → Chagué V
Meredith WR → Shappley ZW
Mesbah M, De Bock TSM, Sandbrink JM, Klein-Lankhorst RM, Lange W: Selection of monosomic addition plants in offspring families using repetitive DNA probes in *Beta* L. 891
Mian MAR → Lee SH
Michaelis G → Mörchen M
Mii M → Nakano M
Mikkelsen TR, Jensen J, Jørgensen RB: Inheritance of oilseed rape (*Brassica napus*) RAPD markers in a backcross progeny with *Brassica campestris* 492
Millan T, Osuna F, Cobos S, Torres AM, Cubero JI: Using RAPDs to study phylogenetic relationships in *Rosa* 273
Miller JT → Spooner DM
Miller TE → Jia J
Min S-K → Lin H-X
Minobe Y → Harushima Y
Minot JC → Esmenjaud D
Miyashita NT → Sasanuma T
Mohan M → Nair S
Mojtahedi H → Brown CR
Moore GA → Liou P-C
Moran GF → Devey ME
Mörchen M, Cuguen J, Michaelis G, Hänni C, Saumitou-Laprade P: Abundance and length polymorphism of microsatellite repeats in *Beta vulgaris* L. 326
Motoyoshi F → Ohmori T
Motto M → Hartings H
Mourao-Fo FAA → Grosser JW
Mukai Y → Suyama Y
Mukhopadhyay A → Arumugam N
Mukhopadhyay A → Nagpal R
Mulcahy DL → Gambier RM
Mummenhoff K → Zunk K
Mundt CC → Akanda SI
Murata M → Ohmori T
Mutschler MA, Doerge RW, Liu S-C, Kuai JP, Liedl BE, Shapiro JA: QTL analysis of pest resistance in the wild tomato *Lycopersicon pennellii*: QTLs controlling acylsugar level and composition 709

Nagamura Y → Harushima Y
Nagpal R, Raina SN, Sodhi YS, Mukhopadhyay A, Arumugam N, Pradhan AK, Pental D: Transfer of *Brassica tournefortii* (TT) genes to allotetraploid oilseed *Brassica* species (*B. juncea* AABB, *B. napus* AACC, *B. carinata* BBCC): homoeologous pairing is more pronounced in the three-genome hybrids (TACC, TBAA, TCAA, TCBB) as compared to allodiploids (TA, TB, TC) 566
Nair S, Kumar A, Srivastava MN, Mohan M: PCR-based DNA markers linked to a gall midge resistance gene, *Gm4t*, has potential for marker-aided selection in rice 660
Nakagahra M → Harushima Y
Nakano M, Hoshino Y, Mii M: Intergeneric somatic hybrid plantlets between *Dianthus barbatus* and *Gypsophila paniculata* obtained by electrofusion 170
Natali L → Cavallini A
Navarro L → Herrero R
Neale DB → Devey ME
Nelson JC → Tanksley SD
Nepper JP → Rasmussen JO
Nguyen HT → Ray JD
Nienhuis J → Spooner DM
Nijkamp HJJ → Van der Biezen EA
Ninnemann H → Menke U
Nishio T, Kusaba M, Watanabe M, Hinata K: Registration of *S* alleles in *Brassica campestris* L. by the restriction fragment sizes of *SLG*s 388
Novy RG, Vorsa N: Evidence for RAPD heteroduplex formation in cranberry: implications for pedigree and genetic-relatedness studies and a source of co-dominant RAPD markers 840
Ohba K → Tsumura Y
Ohmori T, Murata M, Motoyoshi F: Molecular characterization of RAPD and SCAR markers linked to the *Tm-1* locus in tomato 151
Osborn TC → Camargo LEA
Osuna F → Millan T
Ouyang P → Li DW
Owen JV → Hodge GR

Palloix A → Caranta C
Palmer RG → Martin SKSt
Palomino-Sánchez C → El-Kharbotly A
Paltridge NG → Collins NC
Pang ECK, Halloran GM: The genetics of adult-plant blackleg (*Leptosphaeria maculans*) resistance from *Brassica juncea* in *B. napus* 382
Panouillé A → Gouesnard B
Park KW → Lee SJ
Parrott WA → Lee SH
Paterson AM → Ahmad M
Pavoni A → Tahir M
Pental D → Arumugam N
Pental D → Nagpal R
Petiard V → Tanksley SD
Petit RJ → El Mousadik A
Pillay M, Kenny ST: Random amplified polymorphic DNA (RAPD) markers in hop, *Humulus lupulus*: level of genetic variability and segregation in F_1 progeny 334
Ping O → Li DW
Polans NO → Hoey BK
Potts BM → Hodge GR
Powell W → Provan J
Pradhan AK → Arumugam N
Pradhan AK → Nagpal R
Provan J, Powell W, Waugh R: Microsatellite analysis of relationships within cultivated potato (*Solanum tuberosum*) 1078
Pugin A → Jeandroz S

Qi S → Meng A
Qian H-R → Lin H-X
Qingxiao Y → Li DW
Qio JW → Li DW
Quesada M, Winsor JA, Stephenson AG: Effects of pollen selection on progeny vigor in a *Cucurbita pepo*×*C. texana* hybrid 885
Quiros A → Grosser JW

Rahman SM → Takagi Y
Raina SN → Nagpal R
Ramsay G → Charters YM
Ramsay LD → Kearsey MJ
Ramulu KS, Dijkhuis P, Rutgers E, Blaas J, Krens FA, Verbeek WHJ, Colijn-Hooymans CM, Verhoeven HA: Intergeneric transfer of a partial genome and direct production of monosomic addition plants by microprotoplast fusion 316
Rao GU, Lakshmikumaran M, Shivanna KR: Production of hybrids, amphiploids and backcross progenies between a cold-tolerant wild species, *Erucastrum abyssinicum* and crop brassicas 786

Rasmussen JO, Nepper JP, Rasmussen OS: Analysis of somatic hybrids between two sterile dihaploid *Solanum tuberosum* L. breeding lines. Restoration of fertility and complementation of *G. pallida* Pa2 and Pa3 resistance 403
Rasmussen OS → Rasmussen JO
Ray JD, Yu L, McCouch SR, Champoux MC, Wang G, Nguyen HT: Mapping quantitative trait loci associated with root penetration ability in rice (*Oryza sativa* L.) 627
Reader SM → Jia J
Rebai A, Goffinet B: Correction: power of tests for QTL detection using replicated progenies derived from a diallel cross 128
Reddy MV → Singh KB
Redoña ED, Mackill DJ: Mapping quantitative trait loci for seedling vigor in rice using RFLPs 395
Ribaut J-M, Hoisington DA, Deutsch JA, Jiang C, Gonzalez-de-Leon D: Identification of quantitative trait loci under drought conditions in tropical maize. 1. Flowering parameters and the anthesis-silking interval 905
Robertson A → Charters YM
Rocheford TR → Kaufman B
Romagosa I → Han F
Ron M → Weller JI
Roques D → Daugrois JH
Rossi V → Hartings H
Roustan JP → Sarrafi A
Ruoss B → Menke U
Rutgers E → Ramulu KS

Saghai Maroof MA, Yang GP, Biyashev RM, Maughan PJ, Zhang Q: Analysis of the barley and rice genomes by comparative RFLP linkage mapping 541
Saghai Maroof MA → Yu YG
Saisingtong S, Schmid JE, Stamp P, Büter B: Colchicine-mediated chromosome doubling during anther culture of maize (*Zea mays* L.) 1017
Saito A → Cheng R
Salamini F → El-Kharbotly A
Salesses G → Esmenjaud D
Samoylov VM, Sink KC: The role of irradiation dose and DNA content of somatic hybrid calli in producing asymmetric plants between an interspecific tomato hybrid and eggplant 850
Sandbrink JM → Mesbah M
Sanou J → Gouesnard B
Santa María G → Dubcovsky J
Santo GS → Brown CR
Sarrafi A, Roustan JP, Fallot J, Alibert G: Genetic analysis of organogenesis in the cotyledons of zygotic embryos of sunflower (*Helianthus annuus* L.) 225
Sasaki T → Harushima Y
Sasanuma T, Miyashita NT, Tsunewaki K: Wheat phylogeny determined by RFLP analysis of nuclear DNA. 3. Intra- and interspecific variations of five *Aegilops* Sitopsis species 928
Saumitou-Laprade P → Mörchen M
Schaeffer GW, Sharpe FT, Dudley JT: Export of β-1,3-glucanase from mutant rice cells rechallenged and stressed with lysine plus threonine 255
Schell JL → Grosser JW
Schilde-Rentschler L → Menke U
Schmid JE → Saisingtong S
Schondelmaier J → Heller R
Schubert I → Keller ERJ
Schubert I → Lubaretz O
Shapiro JA → Mutschler MA
Shappley ZW, Jenkins JN, Watson Jr CE, Kahler AL, Meredith WR: Establishment of molecular markers and linkage groups in two F_2 populations of Upland cotton 915
Sharpe FT → Schaeffer GW
Shaver JM → Bittel DC
Shi CH, Xue JM, Yu YG, Yang XE, Zhu J: Analysis of genetic effects on nutrient quality traits in *indica* rice 1099
Shin JS → Lee SJ
Shipe ER → Lee SH
Shivanna KR → Rao GU
Sibikeev SN → Sibikeeva YuE
Sibikeeva YuE, Sibikeev SN: Genetic analysis of anther culture response in wheat carrying alien translocations 782
Singh KB, Reddy MV: Improving chickpea yield by incorporating resistance to ascochyta blight 509
Singh SP → Garza R
Sink KC → Samoylov VM
Skrøppa T → Johnsen Ø
Slusarenko AJ → Joos H-J
Smith DN → Devey ME
Smith RH → Ulian EC
Snape JW → Wang YB
Sodhi YS → Nagpal R
Somers DA → Bittel DC
Spehar CR, Galwey NW: Diallel analysis for aluminium tolerance in tropical soybeans [*Glycine max* (L.) Merrill] 267
Spooner DM, Tivang J, Nienhuis J, Miller JT, Douches DS, Contreras-M A: Comparison of four molecular markers in measuring relationships among the wild potato relatives *Solanum* section *Etuberosum* (subgenus *Potatoe*) 532
Srivastava MN → Nair S
Srivastava V, Vasil V, Vasil IK: Molecular characterization of the fate of transgenes in transformed wheat (*Triticum aestivum* L.) 1031
Stamp P → Saisingtong S
Starman TW → Cerny TA
Staub JE → Meglic V
Steffenson BJ, Hayes PM, Kleinhofs A: Genetics of seedling and adult plant resistance to net blotch (*Pyrenophora teres* f. *teres*) and spot blotch (*Cochliobolus sativus*) in barley 552
Steinrücken G → Heller R
Stephenson AG → Quesada M
Sticklen M → Zhang S
Stiekema WJ → Kreike CM
Strauss SH → Tsumura Y
Sun B → Zhang S
Suyama Y, Mukai Y, Kondo T: Assignment of RFLP linkage groups to their respective chromosomes in aneuploids of sugi (*Cryptomeria japonica*) 292
Symons RH → Collins NC
Szmidt AE, Wang X-R, Changtragoon S: Contrasting patterns of genetic diversity in two tropical pines: *Pinus kesiya* (Royle ex Gordon) and *P. merkusii* (Jungh et De Vriese) 436

Tahir M, Pavoni A, Tucci GF, Turchetta T, Lafiandra D: Detection and characterization of a glutenin subunit with unusual high *Mr* at the *Glu-A1* locus in hexaploid wheat 654
Takagi Y, Rahman SM: Inheritance of high oleic acid content in the seed oil of soybean mutant M23 179
Takano Y → Cheng R
Taketa S, Kawahara T: C-banding analysis on wild Emmer (*Triticum dicoccoides* Körn) strains with and without spontaneous reciprocal translocations 173
Tanaka R → Fujishige I
Tang H → Meng A
Tanhuanpää PK, Vilkki JP, Vilkki HJ: Mapping of a QTL for oleic acid concentration in spring turnip rape (*Brassica rapa* ssp. *oleifera*) 952
Taniguchi K → Fujishige I
Tanksley SD, Grandillo S, Fulton TM, Zamir D, Eshed Y, Petiard V, Lopez J, Beck-Bunn T: Advanced backcross QTL analysis in a cross between an elite processing line of tomato and its wild relative *L. pimpinellifolium* 213
Tanksley SD, Nelson JC: Advanced backcross QTL analysis: a method for the simultaneous discovery and transfer of valuable QTLs from unadapted germplasm into elite breeding lines 191
Tanksley SD → Ganal MW
Tanksley SD → Grandillo S
Tanksley SD → Xiao J
Tartarini S: RAPD markers linked to the *Vf* gene for scab resistance in apple 803
Tate ML → Dodds KG
Tayyar RI, Waines JG: Genetic relationships among annual species of *Cicer* (Fabaceae) using isozyme variation 245
Thompson R → Cullis BR
Thomson FM → Cullis BR
Tigerstedt PMA → Wang TL
Tivang J → Spooner DM
Torres AM → Millan T
Trigiano RN → Cerny TA
Trouche G → Dufour P
Trut LN: Sex ratio in silver foxes: effects of domestication and the *star* gene 109
Tsumura Y, Ohba K, Strauss SH: Diversity and inheritance of inter-simple sequence repeat polymorphisms in Douglas-fir (*Pseudotsuga menziesii*) and sugi (*Cryptomeria japonica*) 40
Tsunewaki K → Sasanuma T
Tucci GF → Tahir M
Tulande E → Martínez CP

Tuleen NA → Yang Y-C
Turchetta T → Tahir M

Uhrig H → Kaendler C
Ukai Y → Cheng R
Ulian EC, Magill JM, Magill CW, Smith RH: DNA methylation and expression of NPT II in transgenic petunias and progeny 976
Ullrich SE → Han F

VanRaden PM → Weller JI
Vasil IK → Srivastava V
Vasil V → Srivastava V
Vedel F → Chagué V
Veillet S, Filippi MC, Gallais A: Combined genetic analysis of partial blast resistance in an upland rice population and recurrent selection for line and hybrid values 644
Vellekoop P, Buntjer JB, Maas JW, Brederode J van: Can the spread of agriculture in Europe be followed by tracing the spread of the weed *Silene latifolia*. A RAPD study 1085
Verbeek WHJ → Ramulu KS
Verhoeven HA → Ramulu KS
Vierling RA, Faghihi J, Ferris VR, Ferris JM: Association of RFLP markers with loci conferring broad-based resistance to the soybean cyst nematode (*Heterodera glycines*) 83
Vilkki HJ → Tanhuanpää PK
Vilkki JP → Tanhuanpää PK
Vinke JH → Kreike CM
Visser RGF → Flipse E
Voisin R → Esmenjaud D
Volker PW → Hodge GR
Vorsa N → Novy RG

Waines JG → Tayyar RI
Wan J, Yamaguchi Y, Kato H, Ikehashi H: Two new loci for hybrid sterility in cultivated rice (*Oryza sativa* L.) 183
Wang G → Ray JD
Wang TL: Allozyme variation in populations, full-sib families and selfed lines in *Betula pendula* Roth 1052
Wang TL, Hagqvist R, Tigerstedt PMA: Growth performance of hybrid families by crossing selfed lines of *Betula pendula* Roth 471
Wang X-R → Szmidt AE
Wang YB, Hu H, Snape JW: The genetic and molecular characterization of pollen-derived plant lines from octoploid triticale × wheat hybrids 811
Warkentin D → Zhang S
Watanabe M → Nishio T
Watson Jr CE → Shappley ZW
Waugh R → Provan J
Weide RL → Wordragen MF van
Weir BS → Zhu J
Weller JI, Wiggans GR, VanRaden PM, Ron M: Application of a canonical transformation to detection of quantitative trait loci with the aid of genetic markers in a multi-trait experiment 998
White EE → Baker SM
Wiggans GR → Weller JI
Wilkinson MJ → Charters YM
Winsor JA → Quesada M
Wordragen MF van, Weide RL, Coppoolse E, Koornneef M, Zabel P: Tomato chromosome 6: a high resolution map of the long arm and construction of a composite integrated marker-order map 1065
Wu H-G → Li X-B
Wu W-R, Li W-M: Model fitting and model testing in the method of joint mapping of quantitative trait loci 477

Xiao J, Li J, Yuan L, McCouch SR, Tanksley SD: Genetic diversity and its relationship to hybrid performance and heterosis in rice as revealed by PCR-based markers 637
Xiao J, Li J, Yuan L, Tanksley SD: Identification of QTLs affecting traits of agronomic importance in a recombinant inbred population derived from a subspecific rice cross 230
Xiao SY → Gmitter FG Jr
Xiong Z-M → Lin H-X
Xu P → Li C-D
Xue JM → Shi CH

Yadav OP: Downy mildew incidence of pearl millet hybrids with different male-sterility inducing cytoplasms 278
Yamaguchi Y → Wan J
Yang C-P → Brown CR
Yang GP → Saghai Maroof MA
Yang H, Korban SS: Screening apples for OPD20/600 using sequence-specific primers 263
Yang XE → Shi CH
Yang Y-C, Tuleen NA, Hart GE: Isolation and identification of *Triticum aestivum* L. em. Thell. cv Chinese Spring-*T. peregrinum* Hackel disomic chromosome addition lines 591
Yano M → Harushima Y
Yao JX → Zhong SB
Yao QX → Li DW
Yu L → Ray JD
Yu YG, Saghai Maroof MA, Buss GR: Divergence and allelomorphic relationship of a soybean virus resistance gene based on tightly linked DNA microsatellite and RFLP markers 64
Yu YG → Shi CH
Yuan L → Xiao J

Zabel P → Wordragen MF van
Zamir D → Tanksley SD
Zanke C → Menke U
Zeigler RS → Martínez CP
Zhai W-X → Li X-B
Zhang DY → Zhong SB
Zhang H → Meng A
Zhang Q → Saghai Maroof MA
Zhang S, Warkentin D, Sun B, Zhong H, Sticklen M: Variation in the inheritance of expression among subclones for unselected (*uidA*) and selected (*bar*) transgenes in maize (*Zea mays* L.) 752
Zheng K-L → Lin H-X
Zhong H → Zhang S
Zhong SB, Zhang DY, Li HB, Yao JX: Identification of *Haynaldia villosa* chromosomes added to wheat using a sequential C-banding and genomic in situ hybridization technique 116
Zhu J, Weir BS: Diallel analysis for sex-linked and maternal effects 1
Zhu J → Shi CH
Zhu L-H → Li X-B
Zhuang J-Y → Lin H-X
Zunk K, Mummenhoff K, Koch M, Hurka H: Phylogenetic relationships of *Thlaspi* s.l. (subtribe Thlaspidinae, Lepidieae) and allied genera based on chloroplast DNA restriction-site variation 375